



Guard70 Ceiling Dehumidifier for Grow Tent

The Guard70 dehumidifier is specially designed for indoor cultivation. Taking the legalization of recreational cannabis in Thailand as an example, local growers carry out indoor cultivation and simulate the optimal environment for the growing stages of cannabis through a control system, which can achieve the best yield and quality regardless of season or weather. The Guard70 is capable of serving as a part of the environmental control system for grow rooms and tents.




Specifications of Guard70 Ceiling Mounted Dehumidifier


Model	Guard70
Power Supply	220-240V / 50Hz
Rated Current (A)	5.2A
Rated Power (W)	1200W
Dehumidification Capacity (30 °C/80% RH)	145 L/Day
Dehumidification Capacity (26.7 °C/60% RH)	70 L/Day
Operational Temperature Range (°C)	5 - 38 °C
Operational Humidity Range (% RH)	10% - 90% RH
Refrigerant/Injection Volume	R410A / 0.8kg
Drainage Type	3/4 NPT Direct Drain
Noise (dB)	65 dB
Unit Body	Sheet Metal Housing
Display Board	LCD Panel
APP	Yes
WiFi	Yes
Timing	Yes



Structure of Guard70 Dehumidifier in Grow Room



Filter Replacement Steps of Guard70 Dehumidifier





Applications of Guard70 Dehumidifier

Basement
Dehumidification



Underground
Garage



Wine Cellar



Indoor Pool



Carpet Cleaning




Crawl Space
Dehumidification



Managing Air




Mold Removal



Fire Damage
Restoration



Flood
Dehumidification





www.preair.com

robert@hzhongtai.com

Water Damage
Restoration



Construction



Hospital and
Healthcare Facilities



Janitorial and
Sanitation



Agriculture



Distribution and
Logistics



Energy and Utilities



Industrial and
Manufacturing



Science and
Technology



Sports and
Recreation

