



LGR135 Dehumidifier With Pump For Basement

Preair LGR135 dehumidifier with pump for basement is a vertical machine. LGR series of dehumidifiers are specifically designed for dealing with water damage restoration. If your basement is suffering from a flood or extra water, the Preair [LGR135 dehumidifier with pump for basement](#) can help a lot. Mold and bacteria easily breeding in a wet environment bring great harm to human health. Houses after flood, damp basements, and gloomy warehouses are ideal breeding grounds for bacteria. Please pay attention to the basement dehumidification!





Specifications of LGR135 Dehumidifier For Cellar

NO.	LGR135L
Power Supply	115V/60Hz
Rated Current (A)	10.1
Rated Power (W)	1350
Dehumidification Capacity	210 PPD/D (86°F, 80%RH) 135 PPD (80°F, 60%RH) 21 PPD (90°F, 90%RH) 283 PPD (104°F, 20%RH)
Operating Temperature Range	41°F - 104°F
Operating Humidity Range	20%RH-90%RH
Body Size	21*24*33in
Packaging Dimensions	24*27*37in
Net Weight	110lbs
Refrigerant	R410A/29.2oz
Housing	PE (Rotomold)
Display Panel	LCD
20GP / 40GP / 40HQ	54/ 108 / 108
Filter	HEPA
Drain Pipe Length	20ft



Structure of LGR135 Dehumidifier For Wet Basement





Applications of LGR135 Dehumidifier

