



WH135 Whole House Dehumidifier with Fresh Air Intake

The WH135 whole home dehumidifier can be installed concealed (preferably by professional installation workers) to dehumidify damp indoors, crawl spaces, and basements. Users can use a Honeywell, TrolMaster, or K30 controller to operate the WH135 remotely. Preair WH series of dehumidifiers includes several models with different dehumidification capacities and numbers of air inlets. Welcome to your consultation!




Specifications of WH95 Dehumidifier for Whole Home

NO.	WH95
Power	115V/60HZ
Rated Current (A)	5.66
Rated Power (W)	640
Energy Efficiency (L/kWh)	2.83
Air Volume	315CFM
Noise(dB)	65
Dehumidification Capacity (30℃ 80%RH)	173PPD
Dehumidification Capacity (26.7℃ 60%RH)	95PPD
Dehumidification Capacity (32℃/90%RH)	210PPD
Functioning Temperature Range	5℃-35℃
Functioning Humidity Range	10%-90%RH
Commercial Use	Home
Refrigerant	R32
Filter Screen	MERV8
Drainage Method	3/4NPT direct drainage



Structure of WH95 Dehumidifier for Whole House



Compatible with Honeywell and TrolMaster Controller



Honeywell



TrolMaster



Applications of WH135 HVAC Dehumidifier

Basement
Dehumidification



Underground
Garage



Wine Cellar



Indoor Pool



Carpet Cleaning




Crawl Space
Dehumidification



Managing Air




Mold Removal



Fire Damage
Restoration



Flood
Dehumidification





www.preair.com

robert@hzhongtai.com

Water Damage
Restoration



Construction



Hospital and
Healthcare Facilities



Janitorial and
Sanitation



Agriculture



Distribution and
Logistics



Energy and Utilities



Industrial and
Manufacturing



Science and
Technology



Sports and
Recreation

